

## **TECHNICAL DATA SHEET**

Directive 2004/42/CE

Writing up: September 2021

Printed: 01/06/2023

Undefined product.

|  |  |   |  | 1 miled: 01/00/2020  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|
| Line:<br>Category:   | Complementary Products<br>Thinners   |   |  |  | Type: Thinners for polyester products<br>Code: 3010.01 |  |  |  |
| Name or commercial logo: D/Fp  |  |   |  |  |  |  |  |  |
| Nature:  | cold mixture of aromatic solvents and acetates.  |   |  |  |  |  |  |  |
| Use:   | for the dilu   | for the dilution of primers with a base of polyester resins.          |  |  |  |  |  |  |
| Peculiarites   | <ul> <li>it decreases the viscosity of the primer, promoting the stretching and attenuating the typical superficial peel effect of the polyester primers;</li> <li>if added in the suggested dose, it does not alter the power grip of the primer and it does not cause crackings or absorptions in the final film;</li> <li>it increases the pot-life time and the drying time of the primer with which it is mixed;</li> <li>product ready for use.</li> </ul>   |   |  |  |  |  |  |  |
| Physical features  |  |   |  |  |  |  |  |  |
| Aspect:<br>Color:<br>Odour:  | extrai   |   |  | Specific weight:<br>Supply viscosity:<br>Water solubility: |  | 0,900 kg/l (± 0,005 kg/l)<br>0,45 mPas*s<br>Partially soluble. |  |  |
| Directive 2004/42/CE: Undefined product.   |  |   |  |  |  |  |  |  |
| Applicative data   |  |   |  |  |  |  |  |  |
| Add at the mix (primer + hardener) the thinner in the maximum percentage of 10% v.p 5,5% v.p., carefully mixing until reaching the viscosity required. |  |   |  |  |  |  |  |  |
|  | Close immed  | lose immediately and tightly the container after use.                 |  |  |  |  |  |  |
| ٨  | The product  | he product is <u>HIGHLY FLAMMABLE</u> (See Security Data Sheet, p. 5) |  |  |  |  |  |  |
|  | The storage room must be dried and at a maximum temperature of 25 °C. Store the product away from direct sunlight in the original sealed packaging, away from flames or sparks. The product, when stored under the above conditions, preserves itself for 12 months from the date of shipment.   |   |  |  |  |  |  |  |
| Warnings & Precautions   |  |   |  |  |  |  |  |  |
|  | <ul> <li>Read carefully the Safety Data Sheet before use;</li> <li>Product specifically FOR PROFESSIONAL USE;</li> <li>Do not exceed the recommended dilution rate, the characteristics of the support would be significantly altered;</li> <li>Air the room during dilution; do not smoke and wear the protective mask;</li> <li>The advice and the directives for use contained in this technical data sheet are indicative. Only the professionalism and the user's experience may suggest the measures to exploit the features of the product in order to reach the best results. We are not responsible for the behaviors and the performances of the product when are used compounds different from the ones recommended in the technical data sheet.</li> </ul> |   |  |  |  |  |  |  |

Consumer information:

The information here contained are based on our knowledge at the moment. We reserve the right to make changes in the characteristic data of the product in relation with technological progress or productive developments. Due to factors beyond our control in the applicative phase of the product, the information here contained are not a form of guarantee for specific qualities of the product itself, nor its suitability for a specific application. If a responsibility is determined, this will be limited to the value of the provided products used by the consumer. We guarantee however the constancy in the quality of our products. Our responsibility concerns only the area of the General Sales Conditions. This Technical Data Sheet supersedes all the previous.

